Fuori Produzione Sept17

CODICE	DESCRIZIONE	GIACENZA	LINEA	PREZZO €
3.BL70.715.0.08.L100	PROIET.ARCHILEDE HP 48 LED NEUT-WHITE OTTICA ST1.2	1	Archilede Hp	60
3.BM55.715.0.04.L100	PROI.ARNEW30ST1C ARCHILEDE HP 30LED N/W DALI ST1C	4	Archilede Hp Enel	60
3.BG07.715.0.01.L100	PROIET.AR55LEDRNEW ARCHILEDE C/55LED COOL-WHI.C/SR	1	Archilede Old x Enel	60
3.3632.001.0.00.0000	INCS.BASE LIGHT.596X1196 2X54W T16 ELET.DIMM.DIGIT	2	Base Lighting Incasso	101
3.MW02.001.0.00.0000	GIUNTO ALIMEN."L" SINISTRO X BINARIO STANDARD DALI	1	Binario Old Acc.	10
3.8942.001.0.00.0000	GIUNTO ALIMENTAZ.A T DX.IN PLAST-MET. X BINARIO	3	Binario Old Acc.	15
3.5144.015.0.00.0000	CEST.GRAN.APPL.8 VANI 6X100W QR111 TRAS.ELET.TOPPA	16	Cestello Applique	217
3.1378.015.0.02.0000	PALO INTER.FE.D=120 SP=3 H=5600 PORT.FILO CUT-OFF	2	Cut Off Pali	60
3.2698.774.0.02.L500	DEEP FRAME 110X195 PICC.C/LED 6 WARM WHITE	7	Deep Frame	53
3.2693.701.0.04.L500	DEEP FRAME 110X110 PICC.C/LED 3 WARM WHITE	14	Deep Frame	32
3.2963.074.0.01.0000	DEEP FRAME 180X499 GRAN.3X75W 12V QR111	1	Deep Frame	20
3.FPZ6.001.0.00.0000	DEEP FRAME 2695 110X195 PICC.S/COMPON.ELETTRICI	1	Deep Frame	24
3.MG49.701.0.00.L100	DEEP FRAME 180X339 30 LED WARM.WHIT.IRC>90 PASS.SP	1	Deep Frame	136
3.2954.701.0.00.L100	DEEP FRAME 110X280 PICC.C/LED 9X1W WARM WHITE	4	Deep Frame	77
3.MA38.715.0.01.L100	DEEP LASER QUAD.GRAN.FRAME ORIE.12 LED WAR.WHI.MED	5	Deep Laser	60
3.MA41.701.0.03.L100	DEEP LASER ROTO.FRAME 6 LED WARM WHITE SPOT IP65	4	Deep Laser	34
3.MA29.701.0.00.L100	DEEP LASER QUAD.GRAN.FRAME FISS.12 LED NEU.WHI.SPO	10	Deep Laser	54
3.M947.701.0.00.L100	DEEP LASER ROTO.MEDI.MINIM.C/6 LED RGB MEDIUM	16	Deep Laser	102
3.MA42.701.0.03.L100	DEEP LASER ROTO.FRAME 6 LED WARM WHITE MEDIUM IP65	3	Deep Laser	34
3.M997.701.0.05.L100	DEEP LASER QUAD.MEDI.MINIM.C/6 LED WARM.WHIT.MEDIU	269	Deep Laser	34
3.M974.701.0.01.L100	DEEP LASER ROTO.GRAN.MINIM.ORIE.12 LED WAR.WHI.MED	1	Deep Laser	64
3.MA39.701.0.02.L100	DEEP LASER ROTO.FRAME 6 LED NEUT.WHITE SPOT IP65	18	Deep Laser	34
3.2664.701.0.04.L500	DEEP MINIMAL 100X100 PICC.C/LED 3X1W WARM WHITE	2	Deep Minimal	33
3.2669.701.0.00.L400	DEEP MINIMAL 100X185 PICC.C/LED 6X1W WARM WHITE	1	Deep Minimal	56
3.2686.004.0.00.0000	DEEP MINIMAL 167X485 GRAN.2X75W QR111+1X35/70W CDM	1	Deep Minimal	22
3.2685.001.0.00.0000	DEEP MINIMAL 167X485 GRA.2X35/70W CDMT+1X75W QR111	15	Deep Minimal	29
3.2669.701.0.07.L500	DEEP MINIMAL 100X185 PICC.C/LED 6X1W WARM WHITE	6	Deep Minimal	53
3.MG26.704.0.00.L100	DEEP MINIM.166X166 15 LED WARM.WHIT.IRC>90 PASS.ME	1	Deep Minimal	70
3.2685.001.0.01.0000	DEEP MINIMAL 167X485 GRA.2X35/70W CDMT+1X75W QR111	8	Deep Minimal	35
3.BF17.704.0.01.L100	DELPHI CORPO GRAN.450X450 84LED NEUTRAL-WHITE STRA	15	Delphi Grande	60
3.BF11.704.0.03.L100	DELPHI CORPO GRAN.450X450 C/84 LED COOL-WHITE STRA	21	Delphi Grande	60
3.MF65.715.0.00.L100	FRAME 180X339 C/30 LED WARM WHIT.IRC>90 PASS.SPOT	5	Frame	140
3.MF53.715.0.00.L100	FRAME D=179 C/15 LED WARM WHIT.IRC>90 PASS.SPOT	3	Frame	73
3.MF66.715.0.00.L100	FRAME 180X339 C/30 LED WARM WHIT.IRC>90 PASS.MEDIU	8	Frame	141
3.N285.701.0.00.L100	FRONT LIGHT MINI C/1 LED 1500 lm N/W MED. C/ADAT.	1	Front Light Spot	46
3.MB39.701.0-03	CORPO FRON.LIGH.GRAN.C/1 LED 3000lm W.W.C/AD.MB39	1	Front Light Spot	60
3.MK85.774.0-12	CORPO FRON.LIGH.GRAN.C/1 LED 5000lm WARM WHIT.MK85	2	Front Light Spot	61
3.MN11.774.0-02	CORP.GRAN.C/1 LED NEUTR.WHIT.C/ADAT.X SYDECAR MN11	1	Front Light Spot	85
3.MB30.774.0-15	CORPO FRON.LIGH.PICC.C/1 LED 2000lm NETR.WHIT.MB30	3	Front Light Spot	44
3.MK85.704.0-12	CORPO FRON.LIGH.GRAN.C/1 LED 5000lm WARM WHIT.MK85	1	Front Light Spot	63
3.MN49.704.0-08	CORPO FRON.LIGH.GRAN.C/1 LED 3000lm W/W CRI90 MN49	201	Front Light Spot	53
3.MN56.704.0-06	CORPO FRON.LIGH.GRAN.C/1 LED 5000lm W/W CRI90 MN55	1	Front Light Spot	61
3.MN08.701.0-03	CORP.MEDI.C/1 LED WARM WHIT.C/ADAT.X SYDECAR MN08	1	Front Light Spot	80
3.MN52.774.0-06	CORPO FRON.LIGH.PICC.C/1 LED 3000lm W/W CRI90 MN52	3	Front Light Spot	47
3.8782.006.0.00.0000	VETRO DI PROTEZIONE D=111 PER GABBIANO MEDIO B.V.	3	Gabbiano Acc.	8
3.SD70.7A1.0-01	STRUT.PORTAN.APPLIQUE 3X60W G9 HALOP.X iBLOCK SD70	1	iBlock Applique	44
3.6869.001.0.00.0000	GIUNTO A "T" DESTRO PER iDUO	4	iDuo Acc.	22
3.ME39.712.0.05.L100	iN30 LOW CONTR.INIZIALE C/144 LED WARM WHITE L2394	70	IN30	210
3.M680.012.0.01.0000	iN60 TRIPLO MINIMAL OPALE PER 35/49/80W T16 L=4226	2	IN60 corpo illuminante	116
3.8303.039.0.00.0000	INCAS.OPTICA 1X26W 230V TCD COMPATTA ORIZZONT.	6	Inc. OpticaTc-D	26
3.M033.015.0.00.0000	VANO OTTIC.EXPRESS INCS.MEDI.D152 70W CDM-TC FLOOD	2	Incassi Express	40
3.4655.715.0.00.L300	EXPRESS INCAS.PICC.3 VANI C/9 LED WARM WHITE MEDIU	1	Incassi Express singoli	88
3.2988.715.0.00.L100	EXPRESS INCAS.PICC.2 VANI C/6 LED NEUT.WHITE MEDIU	1	Incassi Express singoli	64
3.N272.712.0.00.L100	iPLAN INCAS.296X1196 MICPR.C/168 LED WAR.WHIT.DALI	6	iPlan Applique	167
3.N266.712.0.00.L100	iPLAN INCAS.596X596 MICPR.C/168 LED WARM.WHITE	1	iPlan Applique	281
3.ME84.712.0.04.L100	iPLAN INCAS.596X596 OPALE C/168 LED NEUT.WHITE	27	iPlan Applique	262
3.N267.712.0.01.L100	iPLAN INCAS.596X596 MICPR.C/168 LED NEUT.WHIT.DALI	1	iPlan Applique	290
3.N270.712.0.00.L100	iPLAN INCAS.296X1196 MICPR.C/168 LED WARM WHITE	11	iPlan Applique	162
3.N253.712.0.00.L100	iPLAN INCAS.596X596 MICPR.C/168 LED NEUT.WHIT.DALI	1	iPlan Applique	291
3.5193.701.0.02.L100	iPLAN APPL.MICROPRIS.C/LED WARM WHITE DALI L=640	29	iPlan Applique	132
3.5195.701.0.02.L100	iPLAN APPL.MICROP.C/LED WARM WHITE DALI EMER.L=640	1	iPlan Applique	189
3.ME71.712.0.00.L100	iPLAN SOSP.596X596 OPALE U/D.196 LED WAR.WHIT.DALI	1	iPlan Sospensione	244
3.BX20.701.0.01.L100	iPRO COB GRANDE C/LED NEUT./WHIT.4000lm DALI SPOT	77	iPro	153
3.BX05.715.0.01.L100	iPRO COB PICCOLO C/LED WARM WHITE FLOOD	4	iPro	90

Fuori Produzione Sept17

CODICE	DESCRIZIONE	GIACENZA	LINEA	PREZZO €
3.BX09.715.0.00.L100	iPRO COB MEDIO C/LED WARM WHITE DIMM.SPOT	1	iPro	116
3.BD35.701.0.03.L500	iPRO PICC.C/9 LED WARM WHITE SPOT (8)	1	iPro	91
3.BX23.701.0.02.L100	iPRO COB GRANDE C/LED WARM/WHIT.4000lm DALI FLOOD	21	iPro	151
3.MQ15.715.0.00.L100	iROLL 240X228 LUCE GENE.16W WARM WHITE 2000lm DALI	10	iRoll	100
3.MQ07.715.0.00.L100	iROLL 140X200 LUCE GENE.13W WARM WHITE ELETTR.	5	iRoll	70
3.BL28.715.0.03.L100	iROLL 65 GRANDE APPLIQUE C/LED NEUTR.WHITE FLOOD	2	iRoll 65 Applique	143
3.BA37.015.0.00.0000	iROLL 65 PICC.APPL.UP-DOW.2X20W HIT ELET.SP/AS.F/O	1	iRoll 65 Applique	140
3.BI18.715.0.03.L100	iROLL 65 PICCOLO PLAFONE C/LED WARM WHITE FLOOD	9	iRoll 65 Plafone	104
3.BV31.715.0.01.L100	iROUND PICC.INCAS.FISSO C/LED WARM WHITE DALI SPOT	4	iRound 65	87
3.BV29.715.0.02.L100	iROUND PICC.INCAS.FISSO C/LED WARM WHITE FLOOD	4	iRound 65	72
3.BV39.715.0.02.L100	iROUND GRAN.INCAS.FISSO C/LED WARM WHIT.WHIDEFLOOD	1	iRound 65	86
3.N185.701.0.00.L100	ISHOP MED.C/1 LED NEUT/WHITE 3000lm MEDIUM	15	iShop	49
3.N189.704.0.00.L100	ISHOP MED.C/1 LED WARM/WHITE 3000lm MEDIUM	13	iShop	49
3.N193.704.0.00.L100	ISHOP MED.C/1 LED W/W 3000lm CRI90 MEDIUM	1	iShop	49
3.N182.704.0.00.L100	ISHOP PICC.C/1 LED WARM/WHITE 1500lm CRI90 MEDIUM	1	iShop	45
3.N194.704.0.00.L100	ISHOP MED.C/1 LED W/W 3000lm CRI90 FLOOD	7	iShop	48
3.N201.704.0.00.L100	ISHOP GRAN.C/1 LED WARM/WHITE 5000lm FLOOD	26	iShop	64
3.N200.701.0.00.L100	ISHOP GRAN.C/1 LED WARM/WHITE 5000lm MEDIUM	23	iShop	65
3.N206.704.0.01.L100	ISHOP GRAN.C/1 LED W/W 5000lm CRI90 WIDE	10	iShop	64
3.N188.704.0.00.L100	ISHOP MED.C/1 LED WARM/WHITE 3000lm SPOT	10	iShop	50
3.N200.704.0.00.L100	ISHOP GRAN.C/1 LED WARM/WHITE 5000lm MEDIUM	32	iShop	65
3.N184.701.0.00.L100	ISHOP MED.C/1 LED NEUT/WHITE 3000lm SPOT	2	iShop	50
3.N191.704.0.00.L100	ISHOP MED.C/1 LED WARM/WHITE 3000lm WIDE	40	iShop	49
3.N202.704.0.00.L100	ISHOP GRAN.C/1 LED WARM/WHITE 5000lm WIDE	1	iShop	64
3.N190.704.0.00.L100	ISHOP MED.C/1 LED WARM/WHITE 3000lm FLOOD	26	iShop	49
3.N192.704.0.00.L100	ISHOP MED.C/1 LED W/W 3000lm CRI90 SPOT	11	iShop	50
3.N205.704.0.00.L100	ISHOP GRAN.C/1 LED W/W 5000lm CRI90 FLOOD	4	iShop	64
3.N342.704.0.00.L100	ISIGHT GRANDE LED NEUTR.WHITE CRI80 FLOOD C/ADAT	13	iSight	72
3.N343.701.0.00.L100	ISIGHT GRANDE LED WARM WHITE CRI80 MEDIUM C/ADAT	38	iSight	66
3.N335.701.0.00.L100	ISIGHT PICC.LED NEUTR.WHITE CRI80 MEDIUM C/ADAT	2	iSight	53
3.N338.704.0.00.L100	ISIGHT PICC.LED WARM WHITE CRI80 WIDEFLOOD C/ADAT	5	iSight	57
3.N343.704.0.00.L100	ISIGHT GRANDE LED WARM WHITE CRI80 MEDIUM C/ADAT	46	iSight	72
3.N342.701.0.00.L100	ISIGHT GRANDE LED NEUTR.WHITE CRI80 FLOOD C/ADAT	8	iSight	66
3.6756.724.0.02.0000	iSIGN SOS.3X35 T5 220-240V CL.2 RGB D110 L1875	4	iSign	188
3.BU43.715.0-00	VANO OTTICO PICC.C/12 LED N/W ST1C X iTEKA BU43	1	iTeka Esterni da Palo	60
3.L172.000.0.00.0000	LAMPAD.QT32 E27 250W 230V 2900K.FROSTED OSRAM	1	Lampade Alogena TR	4
3.M325.701.0.01.L100	LASER PIXEL D=104 ORIEN.C/3 LED WARM WHITE MEDIUM	12	Laser B.V.	18
3.M317.701.0.02.L100	LASER TONDO D=75 FISSO C/3 LED WARM WHITE MEDIUM	1	Laser B.V.	16
3.N156.774.0.01.L100	LAS.BLAD.LARG.FRAM.1LED WARM 3000K C.90 WIDEFL	24	Laser Blade High Contrast	30
3.MM77.774.0.00.L100	INC.LASER BLADE FRAM.5 LED W.DALI 2700K CRI90 FLOD	1	Laser Blade High Contrast	37
3.N161.747.0.03.L100	LAS.BLAD.LARG. FRAM.DALI 1LED WARM 3000K.C90 FLOOD	1	Laser Blade High Contrast	39
3.N166.701.0.01.L100	LAS.BLADE LARGE FRAM. DALI 2 LED WARM 3000K WIDEF.	1	Laser Blade High Contrast	78
3.MQ68.747.V.00.L100	INC.LAS.BLADE FRAM.5 LED W/W.WAL.WASH.L148 S/ALIM	1	Laser Blade High Contrast	21
3.N156.774.0.00.L100	LAS.BLAD.LARG.FRAM.1LED WARM 3000K C.90 WIDEFL	4	Laser Blade High Contrast	29
3.M248.004.0.01.0000	PIN HOLE ORIENTABILE D=82 H=109 50W QR CBC51	1	Laser Pin Hole	8
3.B416.015.0.00.0000	PROIETTORE LAVINIA PICC.250W HIT(CDM-T) 230V STRAD	3	Lavinia	60
3.BB57.713.0.04.L300	INCS.LEDPLUS L=230 WASHE/PAVIM.C/2 LED NEUTR.WHITE	9	Ledplus Parete Esterni	62
3.BB50.713.0.01.L300	INCS.LEDPLUS 138X138 OTTC.ORIE.C/3 LED WARM WHITE	10	Ledplus Pavimento Esterni	55
3.B373.713.0.00.0000	INCS.LEDPLUS L=600 ILLUMIN.C/LED BLU' 7W 250mA	13	Ledplus Pavimento Esterni	104
3.7112.713.0.00.L300	LIGHT-UP GARDEN D=140 ORIEN.C/3 LED WARM-WHITE	2	Light up Garden	68
3.6295.001.0.01.0000	LINEUP 2X54W T16 LUCE GENE.ELET.DIMM.S/SCHER.L1198	1	Line up	45
3.BP15.715.0.03.L100	LINEAL.APPL.C/24 LED 500mA.DIMM.RGB SPOT DMX L998	1	Linealuce Compact Applique	225
3.BD70.715.0.00.L100	LINEALUCE INCS.C/28 LED WARM WHITE ELLIT.L=1268	1	Linealuce Old Incassi	239
3.B670.715.0.00.0000	LINEALUCE C/LED BLU' 21W 220/240V SPOT L=942	1	Linealuce Old WallWasher	171
3.8928.012.0.00.0000	RIFLET.SPOT D=63,7 H=31,78 ALL.BRIL.PER LUX 6399	192	Lux Accessori	1
3.BU99.715.0.02.L100	MAXIWOODY COMPACT C/LED WARM DALI 4000lm.WID.FLOD.	6	Maxiwoody Compact	140
3.6147.715.0.08.L100	MAXIWOODY COMPACT C/24 LED WARM WHITE SPOT	1	Maxiwoody Compact	200
3.BV02.715.0.02.L100	MAXIWOODY PICC.C/LED NEUTRAL WHITE DALI FLOOD	174	Maxiwoody con staffa	193
3.BF03.715.0.03.L100	ARGO CORPO PICC.D=370 C/59 LED NEUTRAL-WHITE STRAD	20	Mini Argo	60
3.BD95.715.0.03.L100	ARGO CORPO PICC.D=370 C/39 LED COOL-WHITE STRAD.	146	Mini Argo	60
3.BD96.704.0.02.L100	ARGO CORPO PICC.D=370 C/59 LED COOL-WHITE STRAD.	58	Mini Argo	60
3.BD95.715.0.05.L100	ARGO CORPO PICC.D=370 C/39 LED COOL-WHITE STRAD.	266	Mini Argo	60
3.BF03.715.0.01.L100	ARGO CORPO PICC.D=370 C/59 LED NEUTRAL-WHITE STRAD	1	Mini Argo	60
3.BL87.715.0.02.L100	ARGO CORPO PICC.D=370 C/42 LED NEUT./WHITE ST1	1	Mini Argo	60

Fuori Produzione Sept17

CODICE	DESCRIZIONE	GIACENZA	LINEA	PREZZO €
3.BD95.704.0.03.L100	ARGO CORPO PICC.D=370 C/39 LED COOL-WHITE STRAD.	105	Mini Argo	60
3.BF03.704.0.01.L100	ARGO CORPO PICC.D=370 C/59 LED NEUTRAL-WHITE STRAD	22	Mini Argo	60
3.BF02.704.0.01.L100	ARGO CORPO PICC.D=370 C/39 LED NEUTRAL-WHITE STRAD	55	Mini Argo	60
3.BC66.015.0.00.0000	DELPHI CORPO PICC.330X330 150W HST/HIT-DE 230V ASI	1	Mini Delphi	60
3.BD91.704.0.05.L100	DELPHI CORPO PICC.330X330 C/39 LED COOL-WHITE STRA	15	Mini Delphi	60
3.BF01.704.0.01.L100	DELPHI CORPO PICC.330X330 59LED NEUTRAL-WHITE STRA	5	Mini Delphi	60
3.BD92.704.0.02.L100	DELPHI CORPO PICC.330X330 C/59 LED COOL-WHITE STRA	146	Mini Delphi	60
3.BF00.704.0.01.L100	DELPHI CORPO PICC.330X330 39LED NEUTRAL-WHITE STRA	2	Mini Delphi	60
3.BI15.715.0.03.L100	iROLL 65 MINI PLAFONE C/LED NEUTR.WHITE FLOOD	3	Miniroll 65 Plafone	89
3.BU81.715.0.00.L100	MINIWOODY C/BASET.E LED NEUT.WHITE FLOOD	5	Miniwoody Proiettori Esterni	64
3.MT86.704.0.02.L100	PALCO MEDIO FRAMER C/LED WARM WHIT.DALI ADAT	1	Palco	321
3.MT71.701.0-01	CORP.GRAN.LED WARM WHIT.CRI90 DALI X PALCO MT71	4	Palco	113
3.MT65.701.0-01	CORP.GRAN.LED NEUT.WHIT.CRI80 DALI X PALCO MT65	30	Palco	113
3.MJ90.701.0-06	CORP.MEDI.LED NEUT.WHIT.3100 CRI80 DIMM.PALCO MJ90	1	Palco	89
3.MT69.701.0-03	CORP.GRAN.LED WARM WHIT.CRI80 DALI X PALCO MT68	8	Palco	113
3.MXA2.012.0.00.0000	RIFLET.MEDM.D=107 H=43 ALL.BRIL.X PALCO MEDIO ALOG	4	Palco acc.	4
3.Q617.701.0.00.0000	BINARIO ELETTR.FRAME PALCO LOW VOLTAGE L=3000	9	Palco Low Voltage Binario	32
3.Q615.701.0.00.0000	BINARIO ELETTR.FRAME PALCO LOW VOLTAGE L=1000	1	Palco Low Voltage Binario	12
3.MU71.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM 4000lm DALI WIDE	1	Pixel Plus	68
3.MU69.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM 4000lm DALI MEDIUM	10	Pixel Plus	66
3.MU70.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM 4000lm DALI FLOOD	46	Pixel Plus	67
3.MU51.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM WHITE 3000lm SPOT	6	Pixel Plus	53
3.MU58.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM 3000lm DALI FLOOD	9	Pixel Plus	60
3.MU54.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM 3000lm CRI90 SPOT	1	Pixel Plus	53
3.MU68.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM 4000lm CRI90 WIDE	4	Pixel Plus	62
3.MU53.701.0.01.L100	PIXEL PLUS GRANDE C/1 LED WARM WHITE 3000lm WIDE	6	Pixel Plus	54
3.MU60.701.0.01.L100	PIXEL PLUS GRAN.C/1 LED W/W 3000lm CRI90 DALI SPOT	5	Pixel Plus	58
3.MU73.701.0.00.L100	PIXEL PLUS GRAN.C/1 LED W/W 4000lm CRI90 DALI FLOD	2	Pixel Plus	67
3.MU67.701.0.00.L100	PIXEL PLUS GRANDE C/1 LED WARM 4000lm CRI90 FLOOD	21	Pixel Plus	61
3.MU59.701.0.01.L100	PIXEL PLUS GRANDE C/1 LED WARM 3000lm DALI WIDE	4	Pixel Plus	60
3.MD80.778.0.00.L100	PIXEL PRO PICC.C/1 LED WARM/WHITE PASSIVO MED.	3	Pixel Pro	40
3.MN59.778.0.00.L100	PIXEL PRO PICC.C/1LED NEUT/WHITE DALI PASS.MEDIUM	1	Pixel Pro	47
3.MP17.7E1.0.04.L100	PIXEL PRO FRAME 1X LED WARM/WHITE DALI PASS.MEDIUM	4	Pixel Pro	61
3.MN60.778.0.00.L100	PIXEL PRO PICC.C/1LED WARM/WHITE DALI PASSIVO SPOT	59	Pixel Pro	47
3.MD79.778.0.00.L100	PIXEL PRO PICC.C/1 LED WARM/WHITE PASSIVO SPOT	26	Pixel Pro	40
3.MN98.778.0.02.L100	PIXEL PRO GRANDE 1 LED WARM/WHITE DALI PASS.SPOT	9	Pixel Pro	64
3.MD77.739.0.01.L100	PIXEL PRO PICC.C/1 LED NEUT/WHITE PASSIVO SPOT	1	Pixel Pro	41
3.MN62.739.0.01.L100	PIXEL PRO PICC.C/1LED W/W.CRI90 DALI PASSIVO SPOT	1	Pixel Pro	49
3.ME30.739.0.03.L100	PIXEL PRO GRANDE 1 LED WARM/WHITE PASS.4000 lm M.	6	Pixel Pro	68
3.MP18.739.0.07.L100	PIXEL PRO FRAME 1X LED WARM/WHITE DALI PASS.FLOOD	3	Pixel Pro	64
3.ME32.739.0.03.L100	PIXEL PRO GRANDE 1 LED WARM/WHITE PASS.4000 lm W/F	3	Pixel Pro	67
3.ME27.739.0.02.L100	PIXEL PRO GRANDE 1 LED NEUT/WHITE PASS.4000 lm MED	34	Pixel Pro	65
3.ME23.778.0.08.L100	PIXEL PRO GRANDE 1 LED NEUT/WHITE PASS.3000 lm W/F	22	Pixel Pro	64
3.MN93.778.0.08.L100	PIXEL PRO MEDIO C/1 LED W/W.CRI90 DALI ATT.WIDFL.	3	Pixel Pro	67
3.MP13.778.0.02.L100	PIXEL PRO GRAN.1 LED W/W.CRI90 DALI PASS.MEDIUM	2	Pixel Pro	72
3.MD94.778.0.07.L100	PIXEL PRO MEDIO C/1 LED WARM/WHITE PASSIVO MEDIUM	3	Pixel Pro	48
3.ME31.739.0.04.L100	PIXEL PRO GRANDE 1 LED WARM/WHITE PASS.4000 lm FL	33	Pixel Pro	68
3.ME26.739.0.05.L100	PIXEL PRO GRANDE 1 LED WARM/WHITE PASS.3000 lm W/F	116	Pixel Pro	63
3.ML24.7E1.0.00.L100	PIXEL PRO FRAME 3X LED NEUT/WHITE ATTIVO W/FLOOD	1	Pixel Pro multilampada	249
3.BF99.715.0.01.L500	PIXY INCAS.C/SCHER.D=95 C/3 LED WARM WHITE FLOOD	1	Pixy	33
3.7699.015.0.00.0000	PROIETTORE PLATEA 150W HQI RX7s 230V C/OTTIC.STRAD	1	Platea	60
3.P522.701.0.00.L100	REFLEX COB D226 FRAME W/W.CRI90 5000lm DALI VERYWF	8	Reflex COB Fissi Frame	68
3.N012.739.0.03.L100	REFLEX COB D=162 FRAME W/W.3000lm DALI FLOOD	2	Reflex COB Fissi Frame	46
3.N224.739.0.00.L100	REFLEX COB D=226 FRAME NEUTR/WHITE 5000lm FLOOD	23	Reflex COB Fissi Frame	66
3.MV84.739.0.04.L100	REFLEX COB D=82 FRAME W/W.CRI90 2700K DALI FLOD	2	Reflex COB Fissi Frame	40
3.N231.739.0.03.L100	REFLEX COB D=144 FRAME WARM/WHITE 3000lm FLOOD	16	Reflex COB Fissi Frame	34
3.N010.739.0.01.L100	REFLEX COB D=162 FRAME N/W.3000lm DALI FLOOD	4	Reflex COB Fissi Frame	50
3.N235.739.0.03.L100	REFLEX COB D=144 FRAME W/W.3000lm DALI FLOOD	1	Reflex COB Fissi Frame	43
3.N023.739.0.00.L100	REFLEX COB D=263 FRAME W/W.8000lm DALI FLOOD	8	Reflex COB Fissi Frame	139
3.M636.739.0.00.L100	REFLEX COB D226 FRAME W/W.CRI90 5000lm DALI MEDIUM	9	Reflex COB Fissi Frame	79
3.N004.739.0.03.L100	REFLEX COB D144 FRAME W/W.CRI90 2000lm DALI FLOOD	2	Reflex COB Fissi Frame	43
3.M636.739.0.01.L100	REFLEX COB D226 FRAME W/W.CRI90 5000lm DALI MEDIUM	1	Reflex COB Fissi Frame	70
3.N006.739.0.03.L100	REFLEX COB D=162 FRAME NEUTR/WHITE 3000lm FLOOD	133	Reflex COB Fissi Frame	48
3.N011.739.0.03.L100	REFLEX COB D=162 FRAME N/W.3000lm DALI WIDEFLOOD	4	Reflex COB Fissi Frame	47

Fuori Produzione Sept17

CODICE	DESCRIZIONE	GIACENZA	LINEA	PREZZO €
3.MV49.712.0.01.L100	REFLEX COB D=93 MINIMAL NEUTR/WHITE 1500lm WIDEFL.	3	Reflex COB Fissi Minimal	44
3.MV58.712.0.02.L100	REFLEX COB D=123 MINIMAL NEUTR/WHITE 2000lm FLOOD	4	Reflex COB Fissi Minimal	41
3.MV70.712.0.00.L100	REFLEX COB D=140 MINIMAL WARM/WHITE 3000lm FLOOD	1	Reflex COB Fissi Minimal	59
3.MV65.712.0.03.L100	REFLEX COB D=123 MINIMAL W/W.2000lm DALI WIDEFLOOD	2	Reflex COB Fissi Minimal	51
3.MV64.712.0.00.L100	REFLEX COB D=123 MINIMAL W/W.2000lm DALI FLOOD	2	Reflex COB Fissi Minimal	58
3.MV66.712.0.02.L100	REFLEX COB D123 MINIMAL W/W.CRI90 2000lm DALI FLOD	10	Reflex COB Fissi Minimal	52
3.N072.739.0.00.L100	REFLEX ORIE.COB D=109 FRAM.NEUTR/WHITE 1500lm FLOD	2	Reflex COB Orient. Frame	53
3.N078.739.0.00.L100	REFLEX ORIE.COB D=109 FRAM.W/W.1500lm DALI FLOOD	5	Reflex COB Orient. Frame	64
3.N092.739.0.02.L100	REFLEX ORIE.COB D=162 FRAM.NEUTR/WHITE 3000lm FLOD	1	Reflex COB Orient. Frame	71
3.N070.739.0.01.L100	REFLEX ORIE.COB D82 FRAM.W/W.CRI90 2700K DALI FLOD	3	Reflex COB Orient. Frame	64
3.N074.739.0.01.L100	REFLEX ORIE.COB D=109 FRAM.WARM/WHITE 1500lm FLOOD	30	Reflex COB Orient. Frame	54
3.N089.739.0.03.L100	REFLEX ORIE.COB D144 FRAM.W/W.CRI90 2000lm DALI M.	7	Reflex COB Orient. Frame	70
3.N069.739.0.01.L100	REFLEX ORIE.COB D82 FRAM.W/W.CRI90 2700K DALI MEDI	6	Reflex COB Orient. Frame	64
3.N077.739.0.00.L100	REFLEX ORIE.COB D=109 FRAM.W/W.1500lm DALI MEDIUM	13	Reflex COB Orient. Frame	64
3.N035.712.0.00.L100	REFLEX ORIE.COB D=93 MINI.WARM/WHITE 1500lm MEDIUM	21	Reflex COB Orient. Minimal	54
3.N027.712.0.00.L100	REFLEX ORIE.COB D=69 MINI.N/W.4000K DALI MEDIUM	4	Reflex COB Orient. Minimal	61
3.N132.739.0.00.L100	REFLEX COB D=162 FRAME WARM/WHITE 3000lm WA/WA.	1	Reflex COB WW Frame	58
3.N136.739.0.03.L100	REFLEX COB D226 FRAM.W/W.CRI90 5000lm DALI WAL/WAS	11	Reflex COB WW Frame	83
3.N133.739.0.02.L100	REFLEX COB D=162 FRAME N/W.3000lm DALI WAL/WAS.	15	Reflex COB WW Frame	56
3.N129.739.0.00.L100	REFLEX COB D=144 FRAME W/W.2000lm DALI WAL/WAS.	1	Reflex COB WW Frame	57
3.N114.712.0.00.L100	REFLEX COB D=123 MINIMAL W/W.2000lm DALI WAL/WAS.	1	Reflex COB WW Minimal	65
3.MB97.739.0.01.L100	REFLEX EASY D=226 C/LED WARM WHIT.2000lm WA/WA.DIM	1	Reflex LLE	83
3.MB66.739.0.01.L100	REFLEX EASY D=226 DOPP.ASIM.C/LED NEUT.WHIT.2000lm	1	Reflex LLE	54
3.MB73.739.0.00.L100	REFLEX EASY D=226 DOPP.ASIM.LED WARM WHIT3000lmDIM	10	Reflex LLE	78
3.MB79.739.0.00.L100	REFLEX EASY D=226 UGR<19 LED WARM WHIT.2000lm DIMM	3	Reflex LLE	76
3.MB71.739.0.00.L100	REFLEX EASY D=226 DOPP.ASIM.LED WARM WHIT2000lmDIM	2	Reflex LLE	77
3.MC25.739.0.01.L100	REFLEX EASY 226X226 UGR<19 LED NETR.WHIT3000lm DIM	1	Reflex LLE	73
3.MB85.739.0.01.L100	REFLEX EASY D=226 H=146 C/LED WARM WHITE 3000lm	11	Reflex LLE	65
3.MC04.739.0.05.L100	REFLEX EASY D=226 H=103 C/LED NEUTRAL WHITE 5000lm	1	Reflex LLE	62
3.MC26.739.0.00.L100	REFLEX EASY 226X226 UGR<19 LED WARM WHIT3000lm DIM	1	Reflex LLE	79
3.MU24.739.0.03.L100	REFL.EASY D=144 LED WARM CRI80 2000lm.DALI WA/WA.	1	Reflex LLE	58
3.MU17.739.0.03.L100	REFLEX EASY D=144 H=111 LED WARM CRI80 2000lm	72	Reflex LLE	47
3.MU27.739.0.02.L100	REFLEX EASY 144X144 H=111 LED WARM CRI80 2000lm	1	Reflex LLE	48
3.MB69.739.0.00.L100	REFLEX EASY D=226 DOPP.ASIM.C/LED WARM WHIT.3000lm	1	Reflex LLE	72
3.MU23.739.0.01.L100	REFL.EASY D=144 LED NEUTR.CRI80 2000lm.DALI WA/WA.	4	Reflex LLE	58
3.MU22.739.0.03.L100	REFL.EASY D=144 H=124 LED WARM CRI80 2000lm.WA/WA.	8	Reflex LLE	52
3.MB97.739.0.00.L100	REFLEX EASY D=226 C/LED WARM WHIT.2000lm WA/WA.DIM	2	Reflex LLE	88
3.MU21.739.0.01.L100	REFL.EASY D=144 H=124 LED NEUTR.CRI80 2000lm.WA/WA	1	Reflex LLE	52
3.MC21.739.0.01.L100	REFLEX EASY 226X226 H103 UGR<19 LED NEUT.WHIT3000l	1	Reflex LLE	65
3.MB54.739.0.01.L100	REFLEX EASY D=226 H=103 C/LED NEUTRAL WHITE 3000lm	3	Reflex LLE	72
3.MB42.739.0.05.L100	REFLEX EASY D=144 C/LED NEUTRAL WHITE 1100lm	13	Reflex LLE	40
3.MB43.739.0.07.L100	REFLEX EASY D=144 C/LED WARM WHITE 1100lm	25	Reflex LLE	37
3.MB84.739.0.01.L100	REFLEX EASY D=226 H=146 C/LED NEUTRAL WHITE 3000lm	37	Reflex LLE	66
3.MB83.739.0.01.L100	REFLEX EASY D=226 H=146 C/LED WARM WHITE 2000lm	77	Reflex LLE	60
3.MB77.739.0.01.L100	REFLEX EASY D=226 H103 UGR<19 LED WARM WHIT.3000lm	6	Reflex LLE	57
3.MC30.739.0.02.L100	REFLEX EASY 226X226 H=146 C/LED WARM WHITE 3000lm	244	Reflex LLE	68
3.MU18.739.0.03.L100	REFLEX EASY D=144 H111 LED NEUTR.CRI80 2000lm DALI	3	Reflex LLE	52
3.MB96.739.0.02.L100	REFLEX EASY D=226 C/LED NEUT.WHIT.2000lm WA/WA.DIM	85	Reflex LLE	76
3.MB68.739.0.02.L100	REFLEX EASY D=226 DOPP.ASIM.C/LED NEUT.WHIT.3000lm	3	Reflex LLE	59
3.MC31.739.0.02.L100	REFLEX EASY 226X226 H146 LED NEUT.WHIT.2000lm DIMM	12	Reflex LLE	68
3.MB45.739.0.05.L100	REFLEX EASY D=144 C/LED WARM WHITE 1100lm DIMM.	2	Reflex LLE	49
3.MU20.739.0.04.L100	REFLEX EASY D=144 H=111 LED WARM CRI90 2000lm DALI	8	Reflex LLE	54
3.MB48.739.0-01	CORP.REFLEX D144 C/LED WARM WHIT.1100lm WA/WA.MB48	1	Reflex LLE	44
3.MB75.739.0-06	CORP.REFLEX D=226 UGR<19 LED WARM WHIT.2000lm MB75	2	Reflex LLE	44
3.MC30.739.0-01	CORPO REFLEX 226X226 C/LED WARM WHIT.3000lm X MC30	8	Reflex LLE	58
3.MB83.739.0-05	CORP.REFLEX D=226 C/LED WARM WHITE 2000lm MB83	17	Reflex LLE	48
3.M262.739.0-02	CORPO REFLEX FRAME D=146 C/LED NEUTR.WHITE 2000 lm	1	Reflex Professional Fissi Frame	54
3.M260.739.0-02	CORPO REFLEX FRAME D=146 C/LED NEUTR.WHITE 1100 lm	2	Reflex Professional Fissi Frame	54
3.M257.712.0-02	CORPO REFLEX MINIM.D=146 C/LED NEUTR.WHITE 2000 lm	3	Reflex Professional Fissi Minimal	57
3.M256.712.0-02	CORPO REFLEX MINIM.D=146 C/LED WARM WHITE 1100 lm	9	Reflex Professional Fissi Minimal	57
3.6040.0A1.0.00.0000	FALDA ROTON.D=237 POLIC.C/SCHERMO NITRIC X COMFORT	1	Sistema Easy Acc.	4
3.6486.074.0.01.0000	SYDECAR MEDI.35W CDM-TC ELET.220-240V FLOOD C/ADAT	5	Spot Sydecar	60
3.BY90.715.0.00.L100	TWILIGHT D=323 1LED N/W 3000lm OTT.ELLITTICA	1	Twilight	97
3.E002.715.0.00.L100	TWILIGHT D=323 1LED N/W 2000lm OTT.ELLITT.DALI	1	Twilight	105

Fuori Produzione Sept17

CODICE	DESCRIZIONE	GIACENZA	LINEA	PREZZO €
3.BL03.7B5.0.03.L100	UFO PICC.423X423 C/104 LED NEUTR.WHITE OTTICA SC.	6	Ufo Corpi	60
3.E587.701.0.00.L100	UNDERSCORE INOUT SIDE10 WARM WHITE 2800K.24V L=854	2	Underscore InOut Side 10	38
3.E578.701.0.00.L100	UNDERSCORE INOUT SIDE10 WARM WHITE 2800K.24V L=404	5	Underscore InOut Side 10	27
3.E596.701.0.00.L100	UNDERSCORE INOUT SIDE10 NEUT.WHITE 3500K.24V L=254	2	Underscore InOut Side 10	24
3.E584.701.0.00.L100	UNDERSCORE INOUT SIDE10 WARM WHITE 2800K.24V L=704	2	Underscore InOut Side 10	35
3.E585.701.0.00.L100	UNDERSCORE INOUT SIDE10 WARM WHITE 2800K.24V L=754	1	Underscore InOut Side 10	36
3.E582.701.0.00.L100	UNDERSCORE INOUT SIDE10 WARM WHITE 2800K.24V L=604	1	Underscore InOut Side 10	32
3.E533.701.0.00.L100	UNDERSCORE INOUT SIDE16 COOL WHITE 4500K.24V L=254	1	Underscore InOut Side 16	25
3.E671.701.0.00.L100	UNDERSCORE INOUT SIDE6 WARM WHITE 2800K.24V L=854	1	Underscore InOut Side 6	38
3.E684.701.0.00.L100	UNDERSCORE INOUT SIDE6 NEUT.WHITE 3500K.24V L=454	1	Underscore InOut Side 6	28
3.E686.701.0.00.L100	UNDERSCORE INOUT SIDE6 NEUT.WHITE 3500K.24V L=554	3	Underscore InOut Side 6	31
3.E680.701.0.00.L100	UNDERSCORE INOUT SIDE6 NEUT.WHITE 3500K.24V L=254	6	Underscore InOut Side 6	24
3.E662.701.0.00.L100	UNDERSCORE INOUT SIDE6 WARM WHITE 2800K.24V L=404	10	Underscore InOut Side 6	27
3.E683.701.0.00.L100	UNDERSCORE INOUT SIDE6 NEUT.WHITE 3500K.24V L=404	2	Underscore InOut Side 6	27
3.E701.701.0.00.L100	UNDERSCORE INOUT SIDE6 COOL WHITE 4500K.24V L=254	1	Underscore InOut Side 6	24
3.E692.701.0.00.L100	UNDERSCORE INOUT SIDE6 NEUT.WHITE 3500K.24V L=854	2	Underscore InOut Side 6	38
3.E435.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=604	2	Underscore InOut Top 16	35
3.E433.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=504	2	Underscore InOut Top 16	32
3.E417.701.0.00.L100	UNDERSCORE INOUT TOP16 WARM WHITE 2800K.24V L=754	2	Underscore InOut Top 16	39
3.E454.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=504	1	Underscore InOut Top 16	32
3.E432.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=454	2	Underscore InOut Top 16	30
3.E409.701.0.00.L100	UNDERSCORE INOUT TOP16 WARM WHITE 2800K.24V L=354	2	Underscore InOut Top 16	28
3.E438.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=754	2	Underscore InOut Top 16	39
3.E451.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=354	2	Underscore InOut Top 16	28
3.E414.701.0.00.L100	UNDERSCORE INOUT TOP16 WARM WHITE 2800K.24V L=604	2	Underscore InOut Top 16	35
3.E437.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=704	2	Underscore InOut Top 16	38
3.E459.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=754	2	Underscore InOut Top 16	39
3.E460.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=804	2	Underscore InOut Top 16	42
3.E458.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=704	2	Underscore InOut Top 16	38
3.E413.701.0.00.L100	UNDERSCORE INOUT TOP16 WARM WHITE 2800K.24V L=554	1	Underscore InOut Top 16	34
3.E439.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=804	2	Underscore InOut Top 16	42
3.E450.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=304	2	Underscore InOut Top 16	27
3.E456.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=604	2	Underscore InOut Top 16	35
3.E418.701.0.00.L100	UNDERSCORE INOUT TOP16 WARM WHITE 2800K.24V L=804	1	Underscore InOut Top 16	42
3.E434.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=554	2	Underscore InOut Top 16	34
3.E448.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=7004	1	Underscore InOut Top 16	224
3.E428.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=254	3	Underscore InOut Top 16	24
3.E467.701.0.00.L100	UNDERSCORE INOUT TOP16 COOL WHITE 4500K.24V L=4004	4	Underscore InOut Top 16	137
3.E431.701.0.00.L100	UNDERSCORE INOUT TOP16 NEUT.WHITE 3500K.24V L=404	2	Underscore InOut Top 16	29
3.BU83.715.0.02.L100	WOODY C/BAST.E LED WARM WHITE SPOT	67	Woody Proiettori Esterni	80
3.BU85.704.0.02.L100	WOODY C/BAST.E LED WARM WHITE FLOOD	3	Woody Proiettori Esterni	78
3.BU56.715.0.00.L100	PROIET.WOW MINI 12LED NEU-WHIT.OTTICA ST0.8C DALI	1	Wow	60
3.BU72.715.0.02.L100	PROIET.WOW MINI 24LED WARM-WHIT.OTTICA ST1 DALI	3	Wow	60
3.BU60.715.0.02.L100	PROIET.WOW MINI 24LED NEU-WHIT.OTTICA ST1	1	Wow	60
3.BU70.715.0.07.L100	PROIET.WOW MINI 30LED WARM-WHIT.OTTICA ST1C	4	Wow	80
3.MQ53.704.0.00.L100	PROIET.LASER BLADE SYSTEM C/LED WARM WHITE MEDIUM	1	Zyl Picchetto	75